


## IN THE CLAIMS

The claims as pending are as follows.

1-77 (Cancelled)

78. (Currently amended) A composition comprising a compound of Formula (Ia):



**Formula (Ia)**

wherein the compound is selected from the group consisting of:

- a compound of formula (Ia) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>CH<sub>2</sub>-, R<sub>6</sub> is (3,4-diCl)Ph, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>CH<sub>2</sub>-, R<sub>6</sub> is (3-CF<sub>3</sub>)Ph, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>CH<sub>2</sub>-, R<sub>6</sub> is (4-Cl)Ph, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>-, R<sub>6</sub> is (4-CF<sub>3</sub>)Ph, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>-, R<sub>6</sub> is (3,4-diCl)Ph, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>-, R<sub>6</sub> is (4-Cl)Ph, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>-, R<sub>6</sub> is (3-CF<sub>3</sub>)Ph, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is Me, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>-, R<sub>6</sub> is (3,4-diCl)Ph, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is Me, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>-, R<sub>6</sub> is (3-CF<sub>3</sub>)Ph, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>CH((4-OMe)Ph)-, R<sub>6</sub> is Pyridin-3-yl, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>CH(-CH<sub>2</sub>Ph)-, R<sub>6</sub> is (4-OMe)Ph, X is N, and Y is C;
- a compound of formula (Ia) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>3</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>CH(-CH<sub>2</sub>cyclohexyl)-, R<sub>6</sub> is (4-OMe)Ph, X is N, and Y is C;

3

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is (4-OCF<sub>3</sub>)Ph, X is N, and Y is C;

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (5-thiophen-2-yl)Thiophen-2-yl, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is Benzthiophen-2-yl, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (2-Br)Ph, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3,4-diF)Ph, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (5-Cl)Benzthiophen-3-yl, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is (2-Cl)Ph, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (2,6-diCl)Ph, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is (4-SO<sub>2</sub>NH<sub>2</sub>)Ph, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (2,4-diCl)Ph, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (5-Pyridin-2-yl)Thiophene-2-yl, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is Pyridin-2-yl, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}(\text{Ph})-$ ,  $R_6$  is Ph, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2\text{CH}_2-$ ,  $R_6$  is Morpholin-1-yl, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is 6,6-DiMe,thyl-bicyclo[3.1.1]heptan-2-yl, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is Cyclohexyl, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is Pyridin-2-yl, X is C and Y is C;~~

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is Cl,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (4-CF<sub>3</sub>)Ph, X is N, and Y is C; and

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3-CF<sub>3</sub>-4-F)Ph, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3-CF<sub>3</sub>-4-Cl)Ph, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3,5-diCF<sub>3</sub>)Ph, X is C and Y is C;~~

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is Cl,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (4-CF<sub>3</sub>)Ph, X is N, and Y is C;

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}(\text{Me})-$ ,  $R_6$  is (3-CF<sub>3</sub>-4-Cl)Ph, X is C and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}(\text{Ph})\text{CH}_2-$ ,  $R_6$  is Ph, X is C and Y is C; and~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (2,4-diCl)Ph, X is C and Y is C.~~

79. (Currently amended) A composition according to claim 78. wherein the compound is selected from the group consisting of:

- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(4-CF_3)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(4-OCF_3)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(4-t-Bu)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(3-CF_3)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(3-CF_3-4-Cl)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2CH_2-$ ,  $R_6$  is  $(3,4-diCl)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(3,4-diCl)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(2,4-diCl)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(4-Cl)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(3,5-diCF_3)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(3,4-diF)Ph$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(6-CF_3)Pyridin-3-yl$ , X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2CH_2-$ ,  $R_6$  is Ph, X is C, and Y is C;~~
- ~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is Ph, X is C, and Y is C;~~
- a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(4-t-Bu)Ph$ , X is N, and Y is C;
- a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(3-CF_3-4-Cl)Ph$ , X is N, and Y is C;
- a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(4-OCF_3)Ph$ , X is N, and Y is C;
- a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2CH_2-$ ,  $R_6$  is  $(4-t-Bu)Ph$ , X is N, and Y is C;
- a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2CH(-CH_2cyclohexyl)-$ ,  $R_6$  is  $(4-OMe)Ph$ , X is N, and Y is C;
- a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2CH(-CH_2Ph)-$ ,  $R_6$  is  $(4-OMe)Ph$ , X is N, and Y is C;
- a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2CH_2-$ ,  $R_6$  is  $(4-OCF_3)Ph$ , X is N, and Y is C;
- a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(4-CF_3)Ph$ , X is N, and Y is C;
- a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is Cl,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-CH_2-$ ,  $R_6$  is  $(4-CF_3)Ph$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3,4-diCl)Ph, X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is (3,4-diCl)Ph, X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is Me,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3,4-diCl)Ph, X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is (4- $\text{CF}_3$ )Ph, X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3- $\text{CF}_3$ )Ph, X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (4-Cl)Ph, X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is Me,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3- $\text{CF}_3$ )Ph, X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is (3- $\text{CF}_3$ )Ph, X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is (4-Cl)Ph, X is N, and Y is C; and

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (4-OMe)Ph, X is N, and Y is C.

80. (Currently amended) A composition according to claim 78. wherein the compound is selected from the group consisting of:

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (4- $\text{CF}_3$ )Ph, X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (4-OCF<sub>3</sub>)Ph, X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (4-*t*-Bu)Ph, X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3- $\text{CF}_3$ )Ph, X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3- $\text{CF}_3$ -4-Cl)Ph, X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is (3,4-diCl)Ph, X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3,4-diCl)Ph, X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (2,4-diCl)Ph, X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (4-Cl)Ph, X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3,5-diCF<sub>3</sub>)Ph, X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3,4-diF)Ph, X is C, and Y is C;~~

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (4-*t*-Bu)Ph, X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is (3- $\text{CF}_3$ -4-Cl)Ph, X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(4\text{-OCF}_3)\text{Ph}$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is  $(4\text{-}t\text{-Bu})\text{Ph}$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}(\text{-CH}_2\text{cyclohexyl})-$ ,  $R_6$  is  $(4\text{-OMe})\text{Ph}$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}(\text{-CH}_2\text{Ph})-$ ,  $R_6$  is  $(4\text{-OMe})\text{Ph}$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is  $(4\text{-OCF}_3)\text{Ph}$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(4\text{-CF}_3)\text{Ph}$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is Cl,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(4\text{-CF}_3)\text{Ph}$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(3,4\text{-diCl})\text{Ph}$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is  $(3,4\text{-diCl})\text{Ph}$ , X is N, and Y is C; and

a compound of formula (Ia) wherein  $R_1$  is Me,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(3,4\text{-diCl})\text{Ph}$ , X is N, and Y is C.

81. (Currently amended) A composition according to claim 78, wherein the compound is selected from the group consisting of:

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(4\text{-CF}_3)\text{Ph}$ , X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(4\text{-OCF}_3)\text{Ph}$ , X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(4\text{-}t\text{-Bu})\text{Ph}$ , X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(3\text{-CF}_3)\text{Ph}$ , X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(3\text{-CF}_3\text{-}4\text{-Cl})\text{Ph}$ , X is C, and Y is C;~~

~~a compound of formula (Ia) wherein  $R_1$  is OH,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is  $(3,4\text{-diCl})\text{Ph}$ , X is C, and Y is C;~~

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(4\text{-}t\text{-Bu})\text{Ph}$ , X is N, and Y is C;


a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(3\text{-CF}_3\text{-}4\text{-Cl})\text{Ph}$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is Me,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(4\text{-CF}_3)\text{Ph}$ , X is N, and Y is C;

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2-$ ,  $R_6$  is  $(4\text{-OCF}_3)\text{Ph}$ , X is N, and Y is C; and

a compound of formula (Ia) wherein  $R_1$  is H,  $R_2$  is H,  $R_3$  is H,  $R_4$  is H,  $R_5$  is H, L is  $-\text{CH}_2\text{CH}_2-$ ,  $R_6$  is  $(4\text{-}t\text{-Bu})\text{Ph}$ , X is N, and Y is C.

82. (original) A composition comprising a compound of Formula (II):



**Formula (II)**

wherein the compound is selected from the group consisting of:

- a compound of formula (II) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is R<sub>6</sub> is (3-CF<sub>3</sub>)Ph, and Z is O;
- a compound of formula (II) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>-, R<sub>6</sub> is (4-CF<sub>3</sub>)Ph, and Z is O;
- a compound of formula (II) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>-, R<sub>6</sub> is (3,4-diCl)Ph, and Z is O;
- a compound of formula (II) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>CH<sub>2</sub>-, R<sub>6</sub> is (3,4-diCl)Ph, and Z is O;
- a compound of formula (II) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>-, R<sub>6</sub> is (4-N(Me)*n*-pentyl)Ph, and Z is O; and
- a compound of formula (II) wherein R<sub>1</sub> is H, R<sub>2</sub> is H, R<sub>4</sub> is H, R<sub>5</sub> is H, L is -CH<sub>2</sub>-, R<sub>6</sub> is (4-N(Me)CH<sub>2</sub>cyclohexyl)Ph, and Z is O.

83-106 (Cancelled)

107. (Currently amended) A pharmaceutical composition comprising a compound, salt or solvate according to claim 55 78 admixed with a pharmaceutically acceptable carrier, excipient or diluent.

108. (Currently amended) A veterinary composition comprising a compound, salt or solvate according to claim 55 78 admixed with a veterinarily acceptable carrier, excipient or dilluent.

109-113 (Cancelled)

114. (Currently amended) A pharmaceutical composition comprising a compound, salt or solvate according to claim 74 82 admixed with a pharmaceutically acceptable carrier, excipient or diluent.